


# Distribution Box



# Plastic Distribution Box

## Features

- IP66 environmental-rated dust-tight and water-resistant and IK 9-rated impact-resistant
- Made of high-end PC (Polycarbonate) material with UL 94 5VA grade high-performance flame-retardant and suitable for outdoor use
- Applicable to ambient temperature  $-40^{\circ}\text{C} \sim +80^{\circ}\text{C}$
- Comply with CE safety standards



## Accessories



Plastic Mounting Plate



Wall brackets



Plastic Enclosure Screw

Part No.	Dimensions		Installation Size		Anti-collision Level	IP Level
	WxHxD	D1+D2	W3	H3		
<a href="#">TJ-AG-0609</a>	65x95x55mm	40+15	50	79	IK9	66
<a href="#">TJ-AG-0811</a>	80x110x70mm	50+20	62	92	IK9	66
<a href="#">TJ-AG-0825</a>	80x250x70mm	50+20	62	232	IK9	66
<a href="#">TJ-AG-1212-S</a>	125x125x75mm	55+20	105	105	IK9	66
<a href="#">TJ-AG-1212</a>	125x125x100mm	80+20	105	105	IK9	66
<a href="#">TJ-AG-1217</a>	125x175x75mm	50+25	109	157	IK9	66
<a href="#">TJ-AG-1417</a>	140x170x95mm	75+20	122	152	IK9	66

Part No.	Dimensions		Installation Size		Anti-collision Level	IP Level
	WxHxD	D1+D2	W3	H3		
<a href="#">TJ-AG-1520</a>	150x200x100mm	80+20	132	182	IK9	66
<a href="#">TJ-AG-1525</a>	150x250x100mm	80+20	132	232	IK9	66
<a href="#">TJ-AG-1717</a>	175x175x75mm	50+25	157	157	IK9	66
<a href="#">TJ-AG-2020</a>	200x200x130mm	110+20	182	182	IK9	66
<a href="#">TJ-AG-2819</a>	280x190x130mm	80+32	255	165	IK9	66
<a href="#">TJ-AG-3428</a>	340x280x130mm	98+32	315	255	IK9	66
<a href="#">TJ-AG-3828</a>	380x280x130mm	98+32	355	255	IK9	66